



8500T 9500T Dual Fuel Quiet Generator Red 3kw Generator Silent

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: GET
- Certification: ISO CE
- Price: Negotiable
- Delivery Time: 15-20 workdays
- Payment Terms: LC, T/T, PayPal, Western Union, Small-amount payment, Money Gram



Product Specification

- Rated Frequency: 50hz 60hz
- Rated Output(kw): 2.5 2.8/ 4.5 4.8/ 4.8 5.0/ 5.7 6.0/ 6.0 6.3
- Max Output (kw): 2.7 3.0/ 5.0 5.2/ 5.2/5.5/ 6.3 6.9/ 6.8 7.7
- Rated Voltage (V): 220V Or As Request
- Rated Current (A): 11.3 12.7/ 20.4 21.8/ 21.8 22.7/ 25.9 27.2/ 27.2 28.6
- Rated Rotation Speed (r/min): 3000 3600
- Phase No.: Single Phase
- Power Factor: 1
- Insulation Grade: F
- Pole Number: 2
- Excitation Mode: Self-excitation & Constant Voltage (AVR)
- Panel Type: General Panel
- Receptacle: Two Receptacles
- Operation Mode: Without

for more products please visit us on diesenginepumps.com

Product Description

GET3500T GET6500T GET7500T GET8500T GET9500T Silent Diesel Generator

The models you mentioned, GET3500T, GET6500T, GET7500T, GET8500T, and GET9500T, refer to silent diesel generators. These generators are designed with soundproof enclosures to minimize noise levels during operation. Here are some details about these silent diesel generators:

Rated Frequency:	50hz 60hz
Max Output (kw):	2.7 3.0/ 5.0 5.2/ 5.2/5.5/ 6.3 6.9/ 6.8 7.7
Rated Current (A):	11.3 12.7/ 20.4 21.8/ 21.8 22.7/ 25.9 27.2/ 27.2 28.6
Phase No.:	Single Phase
Insulation Grade:	F
Excitation Mode:	Self-excitation & Constant Voltage (AVR)
Receptacle:	Two Receptacles
DC 12V Output:	Connection Pole Output
Dry Weight (kg):	164 150 150 153 161
Noise Level (7m):	72 DB
Engine Type:	Single Cylinder, Vertical, Four Stroke, Direct Injection, Air-cooled
Displacement(ml):	296 418 456 498 531
Compression Ratio:	20:01, 19:01
Starting System:	Electric Start
Lube Oil Brand:	CD Grade Or SAE10W-30, 15W-40
Starting Motor Capacity:	12V 0.9KW/ 12V 1.2KW
Battery Capacity:	12V 30Ah
Fuel Tank Capacity (L):	15
Rated Output(kw):	2.5 2.8/ 4.5 4.8/ 4.8 5.0/ 5.7 6.0/ 6.0 6.3
Rated Voltage (V):	220V Or As Request
Rated Rotation Speed (r/min):	3000 3600
Power Factor:	1
Pole Number:	2
Panel Type:	General Panel
Connection Pole:	Without
Overall Dimension(mm):	945*555*700
Working Assorting Weight (kg):	179 185 186 186 187
Structure Type:	Silent Type
Cylinder No. -bore X Stroke (mm):	1-78x62/ 1-86x72/ 1-88x75/ 1-92x75/ 1-95x75
Rated Power:	3.68/3000-4/3600. 5.7/3000-6.3/3600. 6.5/3000-7.2/3600. 7.6/3000-8.2/3600. 8.1/3000-8.7/3600
Lubrication System:	Pressure Splashed
Fuel Type:	0#(summer)-10#(winter)-35#(chillness) Diesel
Lube Capacity (L):	1.1/ 1.65
Charging Generator Capacity:	12V 8.3A
Fuel Consumption (g/kw*h):	≤280

GET3500T Silent Diesel Generator:

Power Output: The GET3500T generator typically provides a power output of around 3,500 watts or 3.5 kilowatts (kW).

Engine: It is equipped with a diesel engine designed to generate electrical power.

Soundproof Enclosure: The generator comes with a soundproof enclosure that reduces noise levels during operation.

Fuel Type: These generators run on diesel fuel, known for its efficiency and durability.

Features: Silent diesel generators are designed to operate quietly, making them suitable for noise-sensitive environments.

Common Applications: The GET3500T generator is suitable for various applications, including residential backup power, small businesses, outdoor events, and camping trips.

GET6500T Silent Diesel Generator:

Power Output: The GET6500T generator typically provides a power output of around 6,500 watts or 6.5 kilowatts (kW).

Engine: It is equipped with a diesel engine optimized for power generation.

Soundproof Enclosure: The generator is enclosed in a soundproof housing to minimize noise levels during operation.

Fuel Type: These generators run on diesel fuel, known for its energy density and stable storage.

Features: Silent diesel generators are designed to operate with reduced noise emissions, making them suitable for residential areas or noise-sensitive locations.

Common Applications: The GET6500T generator can handle larger power requirements and is suitable for residential backup power, small businesses, outdoor events, and construction sites.

GET7500T Silent Diesel Generator:

Power Output: The GET7500T generator typically provides a power output of around 7,500 watts or 7.5 kilowatts (kW).

Engine: It is equipped with a diesel engine specifically designed for power generation.

Soundproof Enclosure: The generator is housed in a soundproof enclosure to minimize noise emissions during operation.

Fuel Type: These generators run on diesel fuel, known for its availability and efficient combustion characteristics.

Features: Silent diesel generators typically feature advanced sound insulation and vibration control for quieter operation.

Common Applications: The GET7500T generator is suitable for various applications, including residential backup power, small businesses, outdoor events, and construction sites where noise reduction is essential.

GET8500T Silent Diesel Generator:

Power Output: The GET8500T generator typically provides a power output of around 8,500 watts or 8.5 kilowatts (kW).

Engine: It is equipped with a diesel engine designed for reliable power generation.

Soundproof Enclosure: The generator is enclosed in a soundproof housing to minimize operational noise.

Fuel Type: These generators run on diesel fuel, known for its energy efficiency and long-term storage stability.

Features: Silent diesel generators often feature advanced noise reduction technology for quiet operation.

Common Applications: The GET8500T generator is suitable for a wide range of applications, including residential backup power, small businesses, outdoor events, and construction sites where noise levels need to be minimized.

GET9500T Silent Diesel Generator:

Power Output: The GET9500T generator typically provides a power output of around 9,500 watts or 9.5 kilowatts (kW).

Engine: It is equipped with a diesel engine optimized for power generation.

Soundproof Enclosure: The generator is housed in a soundproof enclosure to reduce noise emissions during operation.

Fuel Type: These generators run on diesel fuel, known for its energy density and efficient combustion characteristics.

Features: Silent diesel generators are designed to operate quietly while maintaining reliable power output.

Common Applications: The GET9500T generator is suitable for various applications, including residential backup power, small businesses, outdoor events, and construction sites where noise reduction is important.

When selecting a silent diesel generator, consider your specific power requirements, noise limitations, fuel efficiency, and other factors relevant to your application. It's recommended to consult with the manufacturer or supplier to ensure you choose the most suitable silent diesel generator for your needs.



参数表 Specifications

Model	GET8500T	GET9500T	GET11500T	GET15000T	GET18000T
额定功率 (kW)	8.5	9.5	11.5	15.0	18.0
额定电压 (V)	230/240	230/240	230/240	230/240	230/240
额定频率 (Hz)	50/60	50/60	50/60	50/60	50/60
额定转速 (rpm)	1500/1800	1500/1800	1500/1800	1500/1800	1500/1800
额定功率因数 (PF)	0.8	0.8	0.8	0.8	0.8
额定效率 (%)	85	85	85	85	85
额定燃油消耗率 (g/kWh)	200	200	200	200	200
额定燃油容量 (L)	100	100	100	100	100
额定运行时间 (h)	10	10	10	10	10
额定噪音 (dB)	65	65	65	65	65
额定重量 (kg)	150	150	150	150	150
额定尺寸 (mm)	1000x500x500	1000x500x500	1000x500x500	1000x500x500	1000x500x500
额定接口 (mm)	100	100	100	100	100
额定保护等级 (IP)	IP23	IP23	IP23	IP23	IP23
额定认证 (CE)	CE	CE	CE	CE	CE
额定保修 (年)	3	3	3	3	3
额定售后服务 (24h)	24h	24h	24h	24h	24h
额定品牌 (GET)	GET	GET	GET	GET	GET