



Lightweight 2in Diesel Chemical Pumps With Recoil Starter

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: GET
- Certification: ISO CE
- Price: Negotiable
- Delivery Time: 15-20 workdays
- Payment Terms: LC, T/T, PayPal, Western Union, Small-amount payment, Money Gram



Product Specification

- Type: Diesel Chemical Pumps
- Suction/discharger Port Diameter Mm(inch): 50(2"). 80(3"). 100(4"). 150(6")
- Discharge Capacity m³/h): 30 40 110 150
- Total Head Lift: 25m 26m 22m 20m
- Self-priming Time (s/4m): 80 120 180 180
- Max Suction Head: 8m 8m 8m 6m
- Rotation Speed (r/min): 3600
- Noise Level Db(A)/7m): 85
- Overall Dimension(mm): 510x455x640. 560x455x655. 650x470x700. 770x574x785
- Dry Weight: 44kg 50kg 71kg 95kg
- Engine Model: GET50
- Rated Power: 2.8kw 4kw 6.3kw 8.5kw
- Fuel Consumption G/kw.h: 288 285 281 281
- Displacement (cm³): 247 300 410 400

for more products please visit us on dieselenginepumps.com

Safety And Lightweight Diesel Chemical Pumps 2in Suction Port Diameter

Suction/discharger Port Diameter Mm(inch):	50(2'). 80(3'). 100(4'). 150(6')
Total Head Lift:	25m 26m 22m 20m
Max Suction Head:	8m 8m 8m 6m
Noise Level Db(A)/7m):	85
Dry Weight:	44kg 50kg 71kg 95kg
Rated Power:	2.8kw 4kw 6.3kw 8.5kw
Displacement (cm³):	247 296 418 498
Fuel Tank Capacity:	13.5L
Type:	Diesel Chemical Pumps
Discharge Capacity(m³/h):	30 40 110 150
Self-priming Time (s/4m):	80 120 180 180
Rotation Speed (r/min):	3600
Overall Dimension(mm):	510x455x640. 560x455x655. 650x470x700. 770x574x785
Engine Model:	GET50
Fuel Consumption G/kw.h:	288 285 281 281
Starter System:	Recoil Starter

Diesel chemical pumps are essential for the safe and efficient transfer of chemicals in various industrial sectors. Their robust construction, chemical compatibility, and power from diesel engines make them suitable for handling a wide range of corrosive, abrasive, and viscous fluids. These pumps ensure the reliable movement of chemicals, contributing to smooth operations, process efficiency, and adherence to safety standards in numerous applications.

[illegible]

